

## Activity: Vaccine Efficacy

The **absolute risk** of something happening over a specific time is the probability of it happening.

**Example 1:** According to the National Cancer Institute, 125 out of 1000 women will develop breast cancer during their lives. The absolute risk,  $R_A$  of a women developing breast cancer is then:

$$R_A = \frac{\text{the number of women that developed breast cancer}}{\text{the total number of women}} = \frac{125}{1000} = 0.125 = 12.5\%$$

The **relative risk ratio** is the ratio that tells us how the probability that something will happen compares between two groups.

**Example 2:** There are two groups of people. Group **A** has 50 individuals that are 30 years and older. Group **B** has 20 individuals that are 29 years old and younger. A total of 15 people in group **A** snore. Only one person from group **B** snores. What is the relative risk ratio of snoring when comparing groups **A** and **B**?

**Solution:** Let us first calculate the probabilities that a person in a specific group snores. In group **A** 15 out of 50 people snore. The probability  $P(A)$  that one person snores is:

$$P(A) = \frac{\text{the number of people in A that snore}}{\text{the total number of people in group A}} = \frac{15}{50} = \frac{3}{10} = 0.3 = 30\%$$

Similarly, in the case of group **B**, the probability  $P(B)$  will be:

$$P(B) = \frac{\text{the number of people in B that snore}}{\text{the total number of people in group B}} = \frac{1}{20} = 0.05 = 5\%$$

The relative risk ratio,  $R_R$ , is the ratio that tells us how the probability that something will happen compares between two groups:

$$R_R = \frac{P(A)}{P(B)} = \frac{30\%}{5\%} = 6$$

The relative risk ratio of snoring based on groups **A** and **B** is 6. In other words, a person that is 30 and older is six times more likely to snore compared to a person younger than 30.

**Note:** the number of people in the two groups does not have to be the same.

**Problem 1:** The absolute risk of a non-smoker getting breast cancer over a lifetime is 12.5%. Smoking increases that risk by 20%. What is the relative risk ratio of contracting breast cancer over a lifetime between smokers and non-smokers?

The **absolute risk reduction** is the difference in outcomes between a control group and an experimental group (group that receives a treatment).

**Example 3:** Doctor Moreau tested a new medication (Serum A) on 1200 volunteers. He split the volunteers in two groups and recorded the results into the table below:

	total	negative outcome (death)
Control group	200	5
Exposed group	1000	10

The probability,  $P(C)$ , that a person from the control group died:

$$P(C) = \frac{5}{200} = 0.025 = 2.5\%$$

The absolute risk reduction,  $A_{RR}$  is:

$$A_{RR} = P(C) - P(E) = 2.5\% - 1\% = 1.5\%$$

The probability,  $P(E)$  that a person from the exposed group died:

$$P(E) = \frac{10}{1000} = 0.01 = 1\%$$

**Remember:** The risk is a probability of a negative outcome. In this example, the outcome is “death”.

The **relative risk reduction** or the **vaccine efficacy** is a ratio that tells us how much risk is reduced in an experimental group compared to a control group.

$$\text{the relative risk reduction} = \frac{\text{the absolute risk reduction}}{\text{the control group rate}}$$

**Problem 2:** Show that the relative risk reduction,  $R_{RR}$ , in Example 3 is 60% .

**Problem 3:** Doctor Moreau tested Serum B on 5000 volunteers. He split the volunteers in two groups and recorded the results into the table below:


	total	negative outcome (death)
Control group	1000	20
Exposed group	?	100

Find the relative risk reduction for Serum B. Discuss the results.

**Problem 4:** Vaccine A prevents 19 people from contracting an infection when administered to 20 people. Vaccine B decreases your chance of contracting the same infection by 95%. Which one would you take? Why?

**Problem 5:** The results from the Phase 3 trials for Pfizer's Covid-19 vaccine is given in the table below.

	total	Covid-19
Control group	21 728	162
Vaccinated	21 720	8

Find the relative risk reduction in percents (the vaccine efficacy). What does the vaccine efficacy tell you? 

**Problem 6:** The population of Canada in 2020 is about 38 million people. Using the data from Problem 5 find out:

- How many Canadians could get infected with Covid-19 if no one is vaccinated?
- How many Canadians could get infected with Covid-19 if they are all vaccinated?
- According to official numbers, by Jan 12, 2021 Canada recorded over 668 000 Covid-19 infections. Discuss how this number compares with the numbers in parts a and b. Why?

**Problem 7:** The results from the Phase 3 trials for Moderna’s Covid-19 vaccine is given in the table below.

	total	Covid-19
Control group	15 000	185
Vaccinated	15 000	11

Find the vaccine efficacy in percents. 🧮

**Problem 8:** What would be the efficacy of the vaccine given in Problem 7 if the vaccinated group counted 25 infections instead of 11?